# WOODS GROUNDBREAKER® BACKHOES





## **WOODS**

## Groundbreaker® Backhoes

## Table of Contents

| BH65 and BH75        | 4 |
|----------------------|---|
| BH80-X and BH90-X    | 5 |
| Specifications Chart | 6 |

## Woods Groundbreaker®

#### **Backhoes Made So Well the Warranty Covers Your Tractor**



Woods stands behind its backhoes, loaders and mounts with a 2-year limited warranty that includes the tractor. If your tractor manufacturer threatens to void its warranty as a result of installing one of our attachments, we'll cover the warranty if our product damages or compromises your tractor's frame integrity. We're that confident.

Compare our loader and backhoe warranty to others and you'll find that Woods stands behind its attachments like no one else.

## Legend

#### **Standard-duty**

Designed and manufactured for typical usage and basic applications.

#### **Medium-duty**

Designed and manufactured for harsher usage and more robust applications.

#### **Heavy-duty**

Designed and manufactured for extended usage and the most demanding applications.





Since 1946, we've been manufacturing in Oregon, Illinois, and supporting the growth of American jobs.

## Woods GENUINE PARTS

Maintain the quality and performance of your Woods equipment with Woods genuine replacement parts, paint, and lubricants. Available from your authorized Woods dealer.

#### **Find a Woods Dealer**

Woods equipment is distributed through a network of authorized dealers. To find your nearest store visit us at woodsequipment. com or call 800-319-6637.

### **Unmatched Performance**

Combine an excavator-style curved boom, a construction grade Gannon® bucket, and Woods' unique easy on/easy off mounting system, and you've got the best built backhoe in the industry. Groundbreaker® backhoes are powerful diggers that are simple to service, require no tools to attach and detach, and offer greater bucket capacity than any other bucket in its class.

- Curved boom reaches farther over objects and under obstacles with less repositioning than a straight boom
- Variety of bucket choices ensures you have the right tool for your trenching and digging jobs
- Optional thumb allows you to do more than dig... pull, pick up and move heavy objects for added versatility

## **Superior Construction**

Welded to American Welding Society standards and tested in rigorous real-life conditions, Woods backhoes are built to handle your most challenging projects.

- Box style design adds strength with less weight, which increases lifting power
- Heavy-duty cylinders endure greater force and last longer
- Easy to service hoses and pins make maintenance a breeze
- Compatibility with most loaders and undermount mowers supports the versatility of your tractor
- Available in colors to match your tractor, and with a wide range of subframes, 4-point and 3-point mounts







### Extra Productivity

Optional mechanical or hydraulic thumbs allow you to easily pick up a range of materials from large tree limbs to concrete chunks or rocks.

# WOODS Backhoes

## BH65 and BH75 **Backhoes**

Designed for hard-to-reach residential digging and clean up for subcompact and compact tractors.

Tractor PTO range: 15-40 hp

#### Models

**BH65** 78-inch **BH75** 90-inch

- Maximum digging depths: 6.5 feet and 7.5 feet
- Bucket widths from 9 to 24 inches
- Curved boom offers better visibility and reaches over obstacles with little repositioning



- Sub-frame or 3-point hitch mounts are compatible with most loaders and undermount mowers
- Optional mechanical thumb available
- Two-year limited warranty covers your tractor





# BH80-X and BH90-X Groundbreaker Backhoes

Designed to endure the most rigorous commercial operation and provide years of worry-free service.

Tractor PTO range: 20-70 hp

#### Model

**BH80** 96-inch **BH90** 109-inch

- Maximum digging depths: 8 feet and 9 feet
- Bucket widths from 9 to 36 inches
- Durable, heavy-duty boom, dipper stick, and dual swing cylinders
- Sub-frame or 3-point hitch mounts are compatible with most loaders and undermount mowers
- Optional mechanical and hydraulic thumb available
- Two-year limited warranty covers your tractor



# WOODS Backhoes

| Specifications                        | BH65          | ВН75        | вн80-х                           | ВН90-Х            |  |
|---------------------------------------|---------------|-------------|----------------------------------|-------------------|--|
| Tractor PTO HP                        | 15–30 hp      | 20-40 hp    | 20-45 hp                         | 30–70 hp          |  |
| Digging Depth – 2' Flat Bottom        | 78"           | 90"         | 96.5"                            | 109"              |  |
| Digging Depth – 8' Flat Bottom        | 52"           | 70"         | 75.75"                           | 91"               |  |
| Reach From Swing Pivot                | 102"          | 119"        | 125.5"                           | 145"              |  |
| Loading Height                        | 60"           | 73"         | 75.25"                           | 89"               |  |
| Loading Reach                         | 33.5"         | 46"         | 52.5"                            | 57"               |  |
| Transport Height                      | 66.5"         | 74"         | 82.25"                           | 97"               |  |
| Transport Length                      | 42"           | 45"         | 45"                              | 52"               |  |
| Approx. Shipping Weight (frame only)  | 695 lbs       | 842 lbs     | 858 lbs                          | 1,365 lbs         |  |
| Swing Arc                             | 150°          | 180°        | 180°                             |                   |  |
| Bucket Rotation                       | 180°          | 180°        | 180°                             |                   |  |
| Stabilizer Spread – Up (transporting) | 52"           | 52"         | 58.5"                            | 66"               |  |
| Stabilizer Spread – Down (operating)  | 83"           | 83"         | 88.5"                            | 100"              |  |
| Relief Pressure                       | 2,030 psi     | 2,470 psi   | 2,470 psi                        | 2,500 psi         |  |
| Bucket Digging Force                  | 2,800 lbs     | 3,380 lbs   | 3,780 lbs                        | 4,180 / 5,070 lbs |  |
| Dipperstick Digging Force             | 1,590 lbs     | 2,230 lbs   | 2,480 lbs                        | 2,900 lbs         |  |
| 2-Cylinder Swing                      | _             | yes         | yes                              |                   |  |
| Swing Speed Control                   | _             | _           | yes                              |                   |  |
| Bucket Widths                         | 9–16"         | 9–24"       | 9–36"                            | 12—36"            |  |
| Bolt-On or Pin-On Teeth               | bol           | t-on        | bolt-on                          | pin-on            |  |
| Thumb                                 | optional r    | nechanical  | optional mechanical or hydraulic |                   |  |
| Flip-Over Stabilizers                 | star          | ndard       | standard                         |                   |  |
| Stabilizer Street Pads                | opt           | ional       | optional                         |                   |  |
| PTO Pump Kit                          | _             | optional    | optional                         |                   |  |
| Clean-Up Bucket (ditching)            | _             | _           | 36"                              |                   |  |
| Cemetery Bucket                       | _             | _           | 36"                              |                   |  |
| Quick-Attach Bucket                   | _             | _           | -                                | optional          |  |
| Multi-Position Bucket                 | -             | -           | -                                | standard          |  |
|                                       | Standard-duty | Medium-duty | Heavy-duty                       |                   |  |





## See the BH65 and BH75 in action

If you don't have a SmartPhone see this video and more at the Woods Equipment channel on YouTube or woodsequipment.com.

WOODS | BACKHOES | WOODS







Got ideas?

Join our customer panel at *woodsequipment.com/power*. **You have the power...** 

**WOODS**A Blount International Brand

2606 South Illinois Route 2, Oregon, Illinois 61061 tel 800-319-6637 woodsequipment.com



Warning! Some images may show safety shields removed to provide a better view. Equipment should never be operated with any safety shield removed. Some machines in this brochure may be shown with optional equipment. Always operate machines in accordance with supplied operator's manuals. ©2015 Woods Equipment Company. All rights reserved. WOODS, and the Woods logo are trademarks of Woods Equipment Company. All other trademarks, trade names, or service marks not owned by Woods Equipment Company that appear in this brochure are the property of their respective companies or mark holders. Specifications subject to change without notice.